

Notice of Allowability

Application No.

09/918,541

Examiner

Joseph L. Perrin, Ph.D.

Applicant(s)

MISHKIN ET AL.

Art Unit

1746

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Request for Continued Examination filed 17 June 2004.
2. ☒ The allowed claim(s) is/are 1-14.
3. ☒ The drawings filed on 06 November 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S COMMENTS & STATEMENT OF REASONS FOR ALLOWANCE

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 27 April 2004 has been entered.

Response to Arguments

2. Applicant's arguments, see Amendment filed 27 April 2004, with respect to the Arnal reference, have been fully considered and are persuasive. The rejections under 35 USC §§102 & 103 of claims 1-14 have been withdrawn.

Allowable Subject Matter

3. The following is a statement of reasons for the indication of allowable subject matter: The closest prior art of record, US 6,050,278 to Arnal *et al.*, fails to teach each and every limitation of the instant invention. Specifically, the Arnal reference fails to teach or reasonably suggest the claimed dialyzer header cleaner further including a housing delimiting a single passage to accommodate fluid flow in opposite directions and the passage including a flow directing element extendable and retractable by fluid flow in both directions (*i.e.* inlet and

Art Unit: 1746

outlet ends), for the purpose of providing simplicity and less costly manufacture in a dialyzer header cleaning apparatus, which is disclosed as an essential element of claimed invention, as described in independent claims 1 (and claims 2-9 dependent thereon) & 10 (and claims 11-14.

4. For at least the foregoing reasons, claims 1-14 are believed to recite patentable subject matter.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph L. Perrin, Ph.D. whose telephone number is (571)272-1305. The examiner can normally be reached on M-F 7:00-4:30, except alternate Fridays.


7. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy P. Gulakowski can be reached on (571)272-1302. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1746

8. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Joseph L. Perrin, Ph.D.
Examiner
Art Unit 1746

jlj


FRANKIE L. STINSON
PRIMARY EXAMINER
GROUP 3400-1700